



Smart Mine IoT & AI for Proactive Coal Mine Safety and Hazard Control

Dr.V.Kavitha M.E, PH.D., B.Sriram, J.Vignesh Kumar, R B. Yuvaraj

Sethu Institute of Technology, Kariyapatti, Virudhunagar, Tamil Nadu, India

Publication History: Received: 25.02.2026; Revised: 20.03.2026; Accepted: 25.03.2026; Published: 28.03.2026.

ABSTRACT: Underground mining environments are highly prone to hazardous gas accumulation, posing serious risks to worker safety and operational efficiency. This paper presents a Smart Mine Gas Monitoring System that integrates Internet of Things (IoT) technology with Machine Learning (ML) techniques for real-time detection and prediction of dangerous conditions. The proposed system utilizes multiple sensors to measure environmental parameters such as temperature, humidity, and concentrations of harmful gases including carbon dioxide (CO₂), carbon monoxide (CO), and methane (CH₄). The collected sensor data is transmitted through a microcontroller-based system to a Python-based monitoring platform via serial communication. A trained machine learning model is employed to classify the environmental conditions into three categories: Normal, Warning, and Critical. The model demonstrates high accuracy, ensuring reliable prediction of hazardous situations. A user-friendly graphical dashboard is developed to display real-time data and system status.

In addition, the system incorporates automated alert mechanisms including buzzer activation, voice notifications, and email alerts to ensure immediate response during critical conditions. The data is also uploaded to a cloud platform for remote monitoring and analysis. The integration of IoT and AI enhances the efficiency, accuracy, and responsiveness of mine safety systems, significantly reducing the risk of accidents.

This proposed solution offers a cost-effective, scalable, and intelligent approach for improving safety in underground mining environments.

KEYWORDS: Smart Mining, Internet of Things (IoT), Machine Learning, Gas Detection, Environmental Monitoring, Mine Safety, Real-Time Monitoring, Hazard Prediction, CO₂ Detection, Methane (CH₄) Detection, Carbon Monoxide (CO) Monitoring, Sensor Networks, Embedded Systems, ThingSpeak Cloud, Alert System

I. INTRODUCTION

Mining industries play a crucial role in global economic development by providing essential raw materials for various sectors. However, underground mining environments are inherently dangerous due to the presence of hazardous gases, unstable geological conditions, and limited ventilation. Among these risks, the accumulation of toxic and combustible gases such as carbon monoxide (CO), carbon dioxide (CO₂), and methane (CH₄) is one of the leading causes of fatal accidents. These gases can result in explosions, suffocation, and long-term health hazards for mine workers. Hence, ensuring continuous monitoring and early detection of such conditions is of paramount importance for improving mine safety.

Conventional mine monitoring systems primarily rely on manual inspections and threshold-based detection techniques. In such systems, predefined limits are set for gas concentrations, and alarms are triggered when these thresholds are exceeded. Although simple to implement, these approaches suffer from several limitations, including lack of adaptability, delayed response, and high false alarm rates. Moreover, they fail to capture complex relationships between multiple environmental parameters, which are often critical in predicting hazardous situations. With the rapid advancement of technology, the integration of Artificial Intelligence (AI) and Internet of Things (IoT) has revolutionized the field of industrial safety and monitoring. IoT enables real-time data acquisition through interconnected sensor networks, while AI techniques provide intelligent data analysis and predictive capabilities. By combining these technologies, it is possible to develop smart systems that not only monitor environmental conditions but also predict potential hazards before they occur. In this research, a Smart Mine Gas Monitoring System is proposed, which leverages IoT-based sensors and Machine Learning algorithms for real-time hazard detection and classification.



The system collects environmental data such as temperature, humidity, and gas concentrations using multiple sensors deployed in the mining environment. This data is transmitted via a microcontroller to a centralized processing unit, where it is analyzed using a machine learning model.

Among various machine learning techniques, the Random Forest algorithm is employed in this work due to its high accuracy, robustness, and ability to handle complex and nonlinear relationships between input features. Random Forest is an ensemble learning method that constructs multiple decision trees during training and outputs the class that is the mode of the predictions of individual trees. This approach reduces overfitting and improves generalization performance compared to single decision tree models. Additionally, Random Forest can effectively handle noisy and imbalanced data, which is common in real-world sensor-based applications.

The proposed model is trained using historical sensor data and is capable of classifying environmental conditions into three categories: Normal, Warning, and Critical. This classification enables proactive decision-making, allowing timely preventive measures to be taken before a hazardous situation escalates. The performance of the model is evaluated using a confusion matrix, demonstrating high classification accuracy and reliability, especially in identifying critical conditions.

Furthermore, a real-time monitoring dashboard is developed using a graphical user interface to display sensor readings and prediction results. The system also incorporates multiple alert mechanisms, including buzzer activation, voice notifications, and email alerts, to ensure immediate response during emergencies. In addition, cloud integration is implemented using IoT platforms for remote monitoring, data storage, and analysis.

II. LITERATURE REVIEW

Mine safety has been a significant area of research due to the hazardous nature of underground environments. Over the years, various approaches have been proposed to monitor and detect dangerous conditions, particularly focusing on gas leakage and environmental monitoring. Early research primarily focused on traditional monitoring systems based on wired sensor networks and manual inspections. These systems used fixed threshold values to detect abnormal gas concentrations. Although such methods were simple and cost-effective, they lacked real-time responsiveness and adaptability. Researchers identified that these systems were prone to false alarms and were unable to predict hazardous situations in advance. With the advancement of wireless communication technologies, several studies introduced Wireless Sensor Networks (WSNs) for mine safety applications. These systems enabled real-time data collection and transmission from remote locations. Various sensors were deployed to monitor parameters such as temperature, humidity, and gas levels. While WSN-based systems improved data accessibility and reduced human intervention, they still relied heavily on threshold-based decision-making, limiting their intelligence and predictive capabilities.

The emergence of the Internet of Things (IoT) further enhanced monitoring systems by enabling seamless connectivity between sensors, devices, and cloud platforms. Researchers proposed IoT-based mine monitoring systems that allowed real-time visualization and remote access to environmental data. Cloud platforms were used for data storage and analysis, improving system scalability. However, most IoT-based solutions focused only on data collection and visualization, without incorporating advanced data analytics for decision-making.

In recent years, the integration of Artificial Intelligence (AI) and Machine Learning (ML) techniques has significantly improved the effectiveness of mine safety systems. Several studies have explored the use of machine learning algorithms such as Decision Trees, Support Vector Machines (SVM), and Neural Networks for gas detection and hazard prediction. These approaches demonstrated better accuracy compared to traditional methods by learning patterns from historical data and identifying complex relationships between environmental parameters.

Among the various machine learning techniques, the Random Forest algorithm has gained considerable attention due to its robustness and high accuracy. Random Forest is an ensemble learning method that combines multiple decision trees to improve prediction performance and reduce overfitting. Researchers have shown that Random Forest performs well in classification tasks involving environmental monitoring and gas detection, particularly in handling noisy and nonlinear data.

Despite these advancements, many existing systems still face challenges such as limited real-time implementation, lack of integrated alert mechanisms, and insufficient focus on user-friendly interfaces. Additionally, some systems do not effectively combine IoT and AI into a unified framework for continuous monitoring and intelligent decision-making.



To address these limitations, the proposed work integrates IoT-based sensor networks with a Random Forest-based machine learning model for real-time gas monitoring and hazard prediction. The system not only provides accurate classification of environmental conditions but also incorporates automated alert mechanisms and cloud integration, offering a comprehensive and intelligent solution for mine safety.

III. RESEARCH METHODOLOGY

The research adopts an experimental and system-based design to develop an intelligent mine safety monitoring system using the integration of Internet of Things (IoT) and Machine Learning techniques. The primary objective is to design a real-time system capable of detecting and predicting hazardous gas conditions in underground mining environments.

The proposed system is structured into multiple layers, including sensing, data transmission, data processing, and decision-making. The sensing layer consists of various gas and environmental sensors that continuously monitor parameters such as temperature, humidity, carbon monoxide (CO), carbon dioxide (CO₂), and methane (CH₄). These parameters are critical indicators of mine safety. The collected data is transmitted through a microcontroller (Arduino Nano) to a centralized processing system. The processing layer is implemented using a Python-based platform, where data preprocessing and machine learning-based analysis are performed. A supervised learning approach is adopted, in which a Random Forest classifier is trained using labeled historical data.

The Random Forest algorithm is selected due to its robustness, high accuracy, and ability to handle nonlinear relationships between multiple features. It operates by constructing multiple decision trees and combining their outputs to generate a final prediction. The model classifies environmental conditions into three categories: Normal, Warning, and Critical. The system also incorporates a user interface for real-time monitoring and integrates alert mechanisms such as buzzer activation, voice alerts, and email notifications. Cloud integration is implemented for remote monitoring and data storage. This research design ensures a comprehensive and intelligent framework for real-time hazard detection and decision-making in mining environments.

The sensors used in the system include temperature and humidity sensors (DHT11) and gas sensors capable of detecting carbon monoxide (CO), carbon dioxide (CO₂), and methane (CH₄). These sensors are deployed in the monitoring environment to continuously measure the concentration levels of gases and other environmental parameters. The microcontroller (Arduino Nano) reads the sensor values at regular intervals and transmits the data to a computer via serial communication. The transmitted data is received by a Python-based application, where it is logged and stored for further processing. In addition to real-time data, historical datasets are generated and labeled based on predefined safety conditions and domain knowledge. Each data sample is categorized into one of three classes: Normal, Warning, or Critical, depending on the gas concentration levels and environmental conditions. This labeled dataset is used to train the Random Forest model.

Data preprocessing techniques are applied to improve data quality, including removal of noise, handling of missing values, and normalization of sensor readings. The final dataset consists of structured feature vectors representing temperature, humidity, CO, CO₂, and CH₄ levels.

The combination of real-time data acquisition and historical dataset generation ensures that the machine learning model is well-trained and capable of making accurate predictions in real-world scenarios. This data-driven approach enhances the reliability and effectiveness of the proposed mine safety monitoring system.

IV. RESULTS AND DISCUSSION

The proposed Smart Mine Gas Monitoring System was successfully implemented and evaluated using real-time sensor data and a machine learning model based on the Random Forest algorithm. The system was tested under various environmental conditions to analyze its performance in detecting and classifying hazardous gas levels.

The performance of the machine learning model was evaluated using a confusion matrix, which provides a detailed comparison between actual and predicted classifications. The model classifies the environmental conditions into three categories: Normal, Warning, and Critical. The confusion matrix results indicate that the model achieved high classification accuracy, with the majority of instances correctly predicted.



For the Normal class, the model correctly classified 29 instances, with only one misclassification as Warning. In the case of the Warning class, all 180 instances were correctly identified, showing perfect classification performance. Similarly, for the Critical class, all 990 instances were accurately predicted without any misclassification. The overall accuracy of the model was calculated to be approximately 99.9%, demonstrating its high reliability in identifying hazardous conditions, particularly in critical scenarios where accuracy is crucial.

The real-time monitoring dashboard developed using a graphical user interface provided continuous visualization of sensor data, including temperature, humidity, and gas concentrations. The system successfully displayed live updates and prediction results, allowing users to monitor environmental conditions effectively. During testing, the system was able to classify conditions as Warning when gas levels exceeded safe limits, indicating its responsiveness to changing environmental conditions. In addition to prediction, the system effectively triggered alert mechanisms based on the classification results. When a Warning or Critical condition was detected, the system activated alerts such as buzzer notifications, voice alerts, and email messages. This ensured timely communication of potential hazards, enabling quick response and preventive action.

Furthermore, the integration of cloud services enabled remote monitoring and data storage, enhancing the scalability and accessibility of the system. The data uploaded to the cloud platform allowed for further analysis and long-term monitoring of environmental conditions.

The results demonstrate that the integration of IoT and the Random Forest algorithm significantly improves the accuracy and efficiency of mine safety monitoring systems. Compared to traditional threshold-based approaches, the proposed system provides intelligent decision-making capabilities, reduces false alarms, and ensures real-time responsiveness.

However, certain limitations were observed during system testing. Occasional inconsistencies in sensor data, such as noisy or incomplete readings, affected data quality. These issues can be addressed by incorporating advanced filtering techniques and using higher-precision sensors. Future improvements may also include the integration of deep learning models and wireless communication technologies to further enhance system performance and flexibility. Overall, the proposed system proves to be an effective, reliable, and intelligent solution for real-time mine safety monitoring and hazard prediction.




FIG: 1



V. CONCLUSION

Smart Mine Gas Monitoring System based on the integration of Internet of Things (IoT) and Machine Learning techniques has been successfully developed and implemented. The proposed system utilizes multiple sensors to continuously monitor environmental parameters such as temperature, humidity, and hazardous gas concentrations including CO, CO₂, and CH₄. The collected data is processed in real time and analyzed using a Random Forest classifier to predict the safety condition of the mining environment.

The experimental results demonstrate that the proposed model achieves high accuracy in classifying conditions into Normal, Warning, and Critical categories, ensuring reliable detection of hazardous situations. The real-time monitoring dashboard provides clear visualization of sensor data, while the automated alert mechanisms, including buzzer, voice, and email notifications, enable immediate response during emergencies. Additionally, cloud integration allows remote monitoring and data storage, enhancing system accessibility and scalability.

Compared to traditional threshold-based systems, the proposed approach offers improved accuracy, reduced false alarms, and intelligent decision-making capabilities. This makes the system more efficient and reliable for ensuring worker safety in underground mining environments.

In conclusion, the integration of IoT and Machine Learning provides an effective and scalable solution for modern mine safety systems. The proposed system has the potential to significantly reduce accidents and improve overall safety by enabling real-time monitoring and early hazard prediction.

VI. FUTURE WORK

1. Integration of Advanced AI Models Implement deep learning techniques (like CNN or LSTM) for more accurate prediction of hazardous gas levels and accident risks.
2. Real-Time Mobile Application Develop an Android/iOS app to monitor mine conditions live and send instant alerts to workers and supervisors.
3. Wireless Communication Upgrade Replace RS232 with advanced wireless technologies like Zigbee, LoRa, or 5G for long-range and reliable communication.
4. Addition of More Sensors Include sensors for dust (PM2.5), temperature, humidity, and oxygen levels for complete environmental monitoring.
5. Cloud Data Analytics Use cloud platforms (like ThingSpeak, AWS, or Firebase) for big data analysis and long-term safety predictions.
6. Automated Emergency Response System Integrate automatic actions such as activating ventilation systems or alarms when dangerous conditions are detected.
7. Wearable Safety Devices for Workers Develop smart helmets or wearable devices to monitor worker health (heart rate, movement, fall detection).
8. GPS-Based Worker Tracking Implement real-time location tracking inside mines to quickly locate workers during emergencies.

REFERENCES

1. Elangovan, Udhayabanu, et al. (2025) 'Assessment of Harmful Gases Emission and Its Impact Using IoT and Geospatial Technology', Measurement, vol. 242, pp. 115966.
2. K, L., G, R., & M, S. (2023) 'AI-Based Safety Helmet for Mining Workers Using IoT Technology and ARM Cortex-M', IEEE Sensors Journal, vol.23, pp.21355-21362.
3. Huang, J. (2025) 'Synergizing AI and Industrial IoT for Intelligent Ecosystem Evolution in Underground Coal Mining Systems', International Journal of Energy, vol.6(2),pp.48-51
4. Wang, Yongtao, Yinhui Feng, Chengfeng Xi, Bochao Wang, Bo Tang, and YanzhaoGeng. (2024) 'Development of an Intelligent Coal Production and Operation Platform Based on a Real-Time Data Warehouse and AI Model', Energies, vol.17, no. 20, pp. 5205
5. C.Nagarajan and M.Madheswaran - 'Stability Analysis of Series Parallel Resonant Converter with Fuzzy Logic Controller Using State Space Techniques'- Taylor &Francis, Electric Power Components and Systems, Vol.39 (8), pp.780-793, May 2011. DOI: 10.1080/15325008.2010.541746
6. C.Nagarajan and M.Madheswaran - 'Experimental verification and stability state space analysis of CLL-T Series Parallel Resonant Converter' - Journal of Electrical Engineering, Vol.63 (6), pp.365-372, Dec.2012. DOI:



10.2478/v10187-012-0054-2

7. C.Nagarajan and M.Madheswaran - 'Performance Analysis of LCL-T Resonant Converter with Fuzzy/PID Using State Space Analysis'- Springer, Electrical Engineering, Vol.93 (3), pp.167-178, September 2011. DOI 10.1007/s00202-011-0203-9
8. S.Tamilselvi, R.Prakash, C.Nagarajan, "Solar System Integrated Smart Grid Utilizing Hybrid Coot-Genetic Algorithm Optimized ANN Controller" Iranian Journal Of Science And Technology-Transactions Of Electrical Engineering, DOI10.1007/s40998-025-00917-z,2025
9. S.Tamilselvi, R.Prakash, C.Nagarajan, "Adaptive sliding mode control of multilevel grid-connected inverters using reinforcement learning for enhanced LVRT performance" Electric Power Systems Research 253 (2026) 112428, doi.org/10.1016/j.epsr.2025.112428
10. S.Thirunavukkarasu, C. Nagarajan, 2024, "Performance Investigation on OCF and SCF study in BLDC machine using FTANN Controller," Journal of Electrical Engineering And Technology, Volume 20, pages 2675–2688, (2025), doi.org/10.1007/s42835-024-02126-w
11. C. Nagarajan, M.Madheswaran and D.Ramasubramanian- 'Development of DSP based Robust Control Method for General Resonant Converter Topologies using Transfer Function Model'- Acta Electrotechnica et Informatica Journal , Vol.13 (2), pp.18-31, April-June.2013, DOI: 10.2478/aei-2013-0025.
12. C.Nagarajan and M.Madheswaran - 'DSP Based Fuzzy Controller for Series Parallel Resonant converter'- Springer, Frontiers of Electrical and Electronic Engineering, Vol. 7(4), pp. 438-446, Dec.12. DOI 10.1007/s11460-012-0212-0.
13. C.Nagarajan and M.Madheswaran - 'Experimental Study and steady state stability analysis of CLL-T Series Parallel Resonant Converter with Fuzzy controller using State Space Analysis'- Iranian Journal of Electrical & Electronic Engineering, Vol.8 (3), pp.259-267, September 2012.
14. C.Nagarajan and M.Madheswaran, "Analysis and Simulation of LCL Series Resonant Full Bridge Converter Using PWM Technique with Load Independent Operation" has been presented in ICTES'08, a IEEE / IET International Conference organized by M.G.R.University, Chennai.Vol.no.1, pp.190-195, Dec.2007
15. Suganthi Mullainathan, Ramesh Natarajan, "An SPSS and CNN modelling based quality assessment using ceramic materials and membrane filtration techniques", Revista Materia (Rio J.) Vol. 30, 2025, DOI: <https://doi.org/10.1590/1517-7076-RMAT-2024-0721>
16. M Suganthi, N Ramesh, "Treatment of water using natural zeolite as membrane filter", Journal of Environmental Protection and Ecology, Volume 23, Issue 2, pp: 520-530,2022
17. Bing, Z., Wang, X., Dong, Z., Dong, L., & He, T. (2022). 'A novel edge computing architecture for intelligent coal mining system', Wireless Networks, Vol.29, pp.1545-1554.
18. Sani, H., Rasyid, R., Asia, S. N., Syamsuddin, S., Suherwin, S., & Şerban, R. (2025) 'Real-Time IoT Integration for Coal Production And Distribution Management', Journal of Information Systems and Technology Research, Vol.4, pp.155–162.
19. **Kiran, A., Rubini, P., & Kumar, S. S. (2025)**. Comprehensive review of privacy, utility and fairness offered by synthetic data. *IEEE Access*.
20. **Gopinathan, V. R. (2024)**. Real-Time Financial Risk Intelligence Using Secure-by-Design AI in SAP-Enabled Cloud Digital Banking. *International Journal of Computer Technology and Electronics Communication*, 7(6), 9837-9845.
21. **Udayakumar, R., Elankavi, R., Vimal, R., & Sugumar, R. (2023)**. Improved Particle Swarm Optimization with Deep Learning-Based Municipal Solid Waste Management in Smart Cities. *Environmental & Social Management Journal*, 17(4).
22. **Anand, L. (2023)**. An Intelligent AI and ML-Driven Cloud Security Framework for Financial Workflows and Wastewater Analytics. *International Journal of Humanities and Information Technology*, 5(02), 87-94.
23. **Soundappan, S. J. (2020)**. Big Data Analytics in Healthcare: Applications for Pandemic Forecasting. *International Journal of Advanced Research in Computer Science & Technology*, 3(1), 2248-2253.
24. **Rajasekar, M. (2024)**. Real-Time Predictive DevOps Intelligence for Risk-Aware Digital Business Processes in Cloud and SAP Ecosystems. *International Journal of Advanced Research in Computer Science & Technology*, 7(4), 10713-10718.
25. Poornima, G., & Anand, L. (2024, May). Novel AI Multimodal Approach for Combating Against Pulmonary Carcinoma. In 2024 5th International Conference for Emerging Technology (INCET) (pp. 1-6). IEEE.
26. **Prabha, P. S., & Rengarajan, A. (2025)**. Adaptive Cloud Resource Allocation Using Attention-Driven Deep Reinforcement Learning. *Engineering, Technology & Applied Science Research*, 15(6), 29334-29340.
27. **Jagadeesh, S., & Sugumar, R. (2017)**. A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.



28. Varma, K. K., & Anand, L. (2025, March). Deep Learning Driven Proactive Auto Scaler for High-Quality Cloud Services. In International Conference on Computing and Communication Systems for Industrial Applications (pp. 329-338). Singapore: Springer Nature Singapore.
29. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII TRANSACTIONS ON INTERNET AND INFORMATION SYSTEMS*, 19(11), 3841-3855.
30. Poornima, G., & Anand, L. (2025). Medical image fusion model using CT and MRI images based on dual scale weighted fusion based residual attention network with encoder-decoder architecture. *Biomedical Signal Processing and Control*, 108, 107932.
31. Archana, R., & Anand, L. (2025). Residual u-net with Self-Attention based deep convolutional adaptive capsule network for liver cancer segmentation and classification. *Biomedical Signal Processing and Control*, 105, 107665.
32. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII Transactions on Internet and Information Systems*, 19(11), 3841-3855.
32. **Rengarajan, A. (2025)**. Cloud-Based AI-Driven Threat Detection Framework for Smart Grid Cybersecurity. *International Journal of Future Innovative Science and Technology*, 8(6), 16065.
33. **Murugeswari, B., Sudharson, K., Panimalar, S. P., Shanmugapriya, M., & Abinaya, M. (2020)**. SAFE-Secure Authentication in Federated Environment using CEG Key code.
34. **Raj A. A., & Sugumar, R. (2023)**. Early Detection of COVID-19 with Impact on Cardiovascular Complications using CNN Utilising Pre-Processed Chest X-Ray Images. *2023 International Conference on Applied Intelligence and Sustainable Computing (ICAISC), IEEE*.
35. Jagadeesh, S., & Sugumar, R. (2017). A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.
36. Selvi, G. V., Anbarasan, A. B., Murthy, B. A., & Prabavathy, S. (2023). An Application Oriented Integrated Unequal Clustering Algorithm for Wireless Sensor Network. In *Underwater Vehicle Control and Communication Systems Based on Machine Learning Techniques* (pp. 140-154). CRC Press.
37. **Sruthi, R. S., Ananya, S., & Murugeswari, B. (2010)**. Web Based Virtual Control System Laboratory and On-Line Temperature Control of Electrophoresis Equipment using LabVIEW. *International Journal of Computer Applications*, 975, 8887.
38. **Vimal Raja, G. (2021)**. Mining Customer Sentiments from Financial Feedback and Reviews using Data Mining Algorithms. *International Journal of Innovative Research in Computer and Communication Engineering*, 9(12), 14705-14710.
39. MATHEW, A. R. (2025). Neurosecurity and Brain-Computer Interfaces.
40. Soundappan, S. J. (2024). AI-Driven Customer Intelligence in Enterprise Lakehouse Systems Sentiment Mining Governance-Aware Analytics and Real-Time Data Synchronization. *International Journal of Advanced Engineering Science and Information Technology (IJAESIT)*, 7(5), 14905.
41. Mathew, A. (2025). Human-AI Collaboration in Security Operations: Measuring Alert Trust, Automation Bias, and Analyst Upskilling in AI-Augmented SOC Environments. *International Journal of Computer Technology and Electronics Communication*, 8(5), 11375-11380.
42. Soundappan, S. J. (2022). AI-Based Fault Detection and Isolation for Reliability in Modern Power Systems. *International Journal of Research Publications in Engineering, Technology and Management (IRPETM)*, 5(4), 7106-7110.
43. Poornima, G., & Anand, L. (2024, April). Effective Machine Learning Methods for the Detection of Pulmonary Carcinoma. In 2024 Ninth International Conference on Science Technology Engineering and Mathematics (ICONSTEM) (pp. 1-7). IEEE.
44. Garg, V. K., Soundappan, S. J., & Kaur, E. M. (2020). Enhancement in intrusion detection system for WLAN using genetic algorithms. *South Asian Research Journal of Engineering and Technology*, 2(6), 62-64.
44. Rengarajan, A., Jayakumar, C., & Sugumar, R. (2012). Optimization Of Recent Attacks Using Internet Protocol. *National Journal of System and Information Technology*, 5(1), 8.
45. Mathew, A. (2024). AI TRiSM: Trust, Risk, and Security Management in Cybersecurity. *Cybersecurity*, 4(3), 84-90.
46. Mathew, A. (2025). Deep seek vs. ChatGPT: A deep dive into AI Language mastery. *Int J Multidisciplinary Res*, 7(1), 1-5.