



Neonatal Safety Device Using RF Communication

S.Priyadharshini, M.Rajakarthika, T.Rathishka, J.Salomiya stefi

Assistant Professor, Department of ECE, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India¹

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India²

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India³

Student, MAM School of Engineering, Siruganur, Trichy, Tamil Nadu, India⁴

Publication History: Received: 25.02.2026; Revised: 20.03.2026; Accepted: 25.03.2026; Published: 28.03.2026.

ABSTRACT: Neonatal safety is a major concern in hospitals due to the risk of infant abduction and health complications. This project presents a smart neonatal monitoring system using RF communication technology. The system includes a wearable RF transmitter attached to the infant and a receiver unit for monitoring. It continuously tracks the infant's location and vital parameters like heart rate and temperature. The data is transmitted wirelessly and displayed on an LCD screen. Alerts are generated if the infant moves outside a safe zone. The system also uses IoT technology for remote monitoring through mobile applications. It helps doctors and caregivers monitor infants efficiently. The proposed system is cost-effective and easy to implement. It improves hospital security and healthcare quality. Overall, it provides a reliable solution for neonatal safety.

KEYWORDS: Neonatal safety, RF communication, infant monitoring, wireless systems, IoT healthcare, sensor integration, real-time tracking, alarm systems, patient safety, embedded systems

I. INTRODUCTION

Ensuring the safety of newborn infants is a critical responsibility in hospitals. With increasing patient numbers, manual monitoring becomes difficult and unreliable. Traditional methods such as ID bands and nurse supervision are prone to errors. These methods cannot provide real-time alerts in emergency situations. Technological advancements have enabled the development of automated monitoring systems. RF communication allows wireless tracking of infants within hospital premises. IoT technology enables remote monitoring of health parameters. This project combines both technologies to enhance neonatal safety. The system continuously monitors both location and health conditions. It reduces the chances of infant loss or abduction. It also improves response time during emergencies. Thus, the project contributes significantly to healthcare improvements.

II. OBJECTIVE

The main objective of this project is to design a neonatal safety system using RF communication. It aims to track the location of newborn infants continuously. The system also monitors vital health parameters such as heart rate and temperature. It helps in detecting abnormal conditions at an early stage. Another objective is to generate real-time alerts when the infant is moved outside a safe zone. The system should be reliable and easy to use in hospitals. It must reduce dependence on manual monitoring. It should support remote monitoring using IoT platforms. The design must be cost-effective and efficient. It should improve safety and healthcare quality. Overall, the objective is to provide a smart monitoring solution.

III. PROBLEM STATEMENT


Hospitals face challenges in ensuring the safety of newborn infants. Traditional methods like ID bands and manual supervision are not reliable. Human errors can lead to serious consequences such as infant loss or abduction. There is no continuous monitoring system in many hospitals. Existing systems do not provide real-time tracking or alerts. Monitoring vital health parameters manually is time-consuming. Increasing patient numbers make supervision difficult. There is a lack of integrated systems for both tracking and health monitoring. This creates risks for both infants and hospital management. Therefore, a smart and automated system is required. This project aims to solve these problems using modern technology.



IV. PROPOSED SYSTEM

The proposed system uses RF communication and IoT technology for neonatal monitoring. A transmitter unit is attached to the infant's body. It continuously sends location and health data. A receiver unit collects the transmitted data. The system monitors heart rate and temperature in real time. If the infant moves outside a safe zone, an alert is generated. The LCD displays the current status of the infant. The system also sends data to IoT platforms for remote monitoring. Doctors and caregivers can access data using mobile applications. The system is compact and easy to use. It provides continuous and reliable monitoring. It improves safety and healthcare efficiency.

V. BLOCK DIAGRAM





VI. DESIGN AND SELECTION OF COMPONENTS

1. Arduino IDE

Arduino IDE is used for programming the microcontroller. It provides a simple interface for writing code. It supports multiple libraries for sensors and communication. The IDE allows compiling and uploading programs easily. It is widely used in embedded systems development. It helps in debugging and testing code. It supports serial communication for monitoring data. It is compatible with various boards like Arduino Uno. It reduces development complexity. It is essential for system implementation.

2. IoT

IoT technology enables remote monitoring of the system. It connects devices to the internet for data sharing. The NodeMCU module is used for IoT communication. It transmits sensor data to cloud servers. Doctors can monitor data from anywhere. It improves accessibility and convenience. It uses MQTT protocol for communication. It ensures efficient data transfer. IoT enhances system functionality. It makes the system smarter and more reliable.

3. LCD Display

LCD display is used to show system output. It displays temperature and heart rate values. It provides real-time information to users. It is easy to read and operate. It works on low power consumption. It supports alphanumeric characters. It improves system usability. It helps in quick monitoring. It is widely used in embedded systems. It enhances user interaction.

4. Heartbeat Sensor

Heartbeat sensor measures the pulse rate of the infant. It uses optical technology to detect blood flow. It provides accurate heart rate readings. It helps in monitoring infant health. It detects abnormal conditions early. It is compact and easy to use. It works in real time. It improves medical monitoring. It is essential for healthcare applications. It ensures safety of infants.

5. Temperature Sensor

Temperature sensor measures body temperature. LM35 is commonly used in this system. It provides accurate readings in Celsius. It is easy to interface with microcontrollers. It helps in detecting fever or abnormal conditions. It works continuously. It improves health monitoring. It is reliable and efficient. It consumes less power. It is widely used in medical devices.

6. Power Supply Unit

Power supply provides required voltage to components. It converts AC to DC voltage. It includes rectifier, filter, and regulator. It ensures stable operation of the system. It protects components from damage. It is essential for system reliability. It is designed for efficiency. It supports continuous operation. It maintains performance stability. It is a key component.

7. 433 MHz RF Transmitter and Receiver Module

RF module is used for wireless communication. The transmitter sends data from baby unit. The receiver collects data in mother unit. It operates at 433 MHz frequency. It supports long-range communication. It is cost-effective and reliable. It requires minimal external components. It uses simple modulation techniques. It ensures fast data transfer. It is widely used in wireless systems. It improves system efficiency.

VII. SOFTWARES INSTALLATION

1. Sketch IDE

Sketch IDE is used for Arduino programming. It helps in writing and uploading code. It supports multiple libraries. It provides debugging features. It is easy to use. It is essential for development. It improves coding efficiency. It supports real-time monitoring. It is widely used by developers. It simplifies programming.

2. Embedded C Language

Embedded C is used for programming microcontrollers. It provides control over hardware. It is efficient and fast. It supports real-time applications. It is widely used in embedded systems. It helps in developing reliable code. It improves system performance. It is easy to learn. It supports hardware interaction. It is essential for project development.



3. Blynk App

Blynk app is used for IoT monitoring. It connects devices to smartphones. It displays sensor data in real time. It allows remote monitoring. It is user-friendly. It supports multiple devices. It improves accessibility. It helps in controlling system remotely. It enhances system functionality. It is widely used in IoT projects.

VIII. RESULT AND ANALYSIS

The system successfully monitors infant location and health parameters. It provides accurate readings of heart rate and temperature. The RF communication works efficiently within range. Alerts are generated when the infant moves outside safe zone. The LCD displays real-time data clearly. IoT platform enables remote monitoring. The system performs reliably under different conditions. It reduces manual effort and errors. It improves response time in emergencies. The results show that the system is effective. It meets the project objectives successfully.

IX. CONCLUSION

The neonatal safety system using RF communication is an effective solution for infant monitoring. It ensures both security and health monitoring. The system provides real-time tracking and alerts. It reduces risks of infant loss and health issues. It is cost-effective and easy to use. It improves hospital safety standards. IoT integration enhances remote monitoring capabilities. The system is reliable and efficient. Future improvements can include GPS tracking and mobile alerts. It has great potential for real-world applications. Overall, it is a successful and impactful project.

REFERENCES

1. Zhihua Zhu, Tao Liu, Guangyi Li, Tong Li, and Yoshio Inoue, "Wearable sensor systems for infants," *Sensors*, vol. 15, pp. 3721-3749, 2015
2. Subhas Chandra Mukhopadhyay, "Wearable sensors for human activity monitoring: a review," *IEEE Sensors Journal*, vol. 15, 2019
3. C. Nagarajan and M. Madheswaran - 'Stability Analysis of Series Parallel Resonant Converter with Fuzzy Logic Controller Using State Space Techniques' - Taylor & Francis, *Electric Power Components and Systems*, Vol. 39 (8), pp. 780-793, May 2011. DOI: 10.1080/15325008.2010.541746
4. C. Nagarajan and M. Madheswaran - 'Experimental verification and stability state space analysis of CLL-T Series Parallel Resonant Converter' - *Journal of Electrical Engineering*, Vol. 63 (6), pp. 365-372, Dec. 2012. DOI: 10.2478/v10187-012-0054-2
5. C. Nagarajan and M. Madheswaran - 'Performance Analysis of LCL-T Resonant Converter with Fuzzy/PID Using State Space Analysis' - Springer, *Electrical Engineering*, Vol. 93 (3), pp. 167-178, September 2011. DOI 10.1007/s00202-011-0203-9
6. S. Tamilselvi, R. Prakash, C. Nagarajan, "Solar System Integrated Smart Grid Utilizing Hybrid Coot-Genetic Algorithm Optimized ANN Controller" *Iranian Journal Of Science And Technology-Transactions Of Electrical Engineering*, DOI 10.1007/s40998-025-00917-z, 2025
7. S. Tamilselvi, R. Prakash, C. Nagarajan, "Adaptive sliding mode control of multilevel grid-connected inverters using reinforcement learning for enhanced LVRT performance" *Electric Power Systems Research* 253 (2026) 112428, doi.org/10.1016/j.epsr.2025.112428
8. S. Thirunavukkarasu, C. Nagarajan, 2024, "Performance Investigation on OCF and SCF study in BLDC machine using FTANN Controller," *Journal of Electrical Engineering And Technology*, Volume 20, pages 2675-2688, (2025), doi.org/10.1007/s42835-024-02126-w
9. C. Nagarajan, M. Madheswaran and D. Ramasubramanian - 'Development of DSP based Robust Control Method for General Resonant Converter Topologies using Transfer Function Model' - *Acta Electrotechnica et Informatica Journal*, Vol. 13 (2), pp. 18-31, April-June. 2013, DOI: 10.2478/aei-2013-0025.
10. C. Nagarajan and M. Madheswaran - 'DSP Based Fuzzy Controller for Series Parallel Resonant converter' - Springer, *Frontiers of Electrical and Electronic Engineering*, Vol. 7(4), pp. 438-446, Dec. 12. DOI 10.1007/s11460-012-0212-0.
11. C. Nagarajan and M. Madheswaran - 'Experimental Study and steady state stability analysis of CLL-T Series Parallel Resonant Converter with Fuzzy controller using State Space Analysis' - *Iranian Journal of Electrical & Electronic Engineering*, Vol. 8 (3), pp. 259-267, September 2012.



12. C.Nagarajan and M.Madheswaran, "Analysis and Simulation of LCL Series Resonant Full Bridge Converter Using PWM Technique with Load Independent Operation" has been presented in ICTES'08, a IEEE / IET International Conference organized by M.G.R.University, Chennai.Vol.no.1, pp.190-195, Dec.2007
13. Suganthi Mullainathan, Ramesh Natarajan, "An SPSS and CNN modelling based quality assessment using ceramic materials and membrane filtration techniques", *Revista Materia (Rio J.)* Vol. 30, 2025, DOI: <https://doi.org/10.1590/1517-7076-RMAT-2024-0721>
14. M Suganthi, N Ramesh, "Treatment of water using natural zeolite as membrane filter", *Journal of Environmental Protection and Ecology*, Volume 23, Issue 2, pp: 520-530,2022
15. 3.Prajakata A.Pawar , 'Heart rate monitoring system using IR base sensors & Arduino Uno" in IEEE Conference on IT in Business, Industry and Government (CSIBIG) ,2014.
16. 4.Daniel Myklatun Tveit , Kjersti Engan, Ivar Austvoll,Yvind Meinich Bache, "Motion based detection of respiration rate in infants using video," in IEEE International conference on Image Processing (ICIP), 2025
17. 5.Xinming Huang, Ling Sun, Tian Tian, Zeyan Huang, andEdward Clancy, "Motion based detection of respiration rate in infants using video," in IEEE 16th International Conference on Communication Technology (ICCT), 2015
18. Kiran, A., Rubini, P., & Kumar, S. S. (2025). Comprehensive review of privacy, utility and fairness offered by synthetic data. IEEE Access.
19. Gopinathan, V. R. (2024). Real-Time Financial Risk Intelligence Using Secure-by-Design AI in SAP-Enabled Cloud Digital Banking. *International Journal of Computer Technology and Electronics Communication*, 7(6), 9837-9845.
20. Udayakumar, R., Elankavi, R., Vimal, R., & Sugumar, R. (2023). Improved Particle Swarm Optimization with Deep Learning-Based Municipal Solid Waste Management in Smart Cities. *Environmental & Social Management Journal*, 17(4).
21. Anand, L. (2023). An Intelligent AI and ML-Driven Cloud Security Framework for Financial Workflows and Wastewater Analytics. *International Journal of Humanities and Information Technology*, 5(02), 87-94.
22. Soundappan, S. J. (2020). Big Data Analytics in Healthcare: Applications for Pandemic Forecasting. *International Journal of Advanced Research in Computer Science & Technology*, 3(1), 2248-2253.
23. Rajasekar, M. (2024). Real-Time Predictive DevOps Intelligence for Risk-Aware Digital Business Processes in Cloud and SAP Ecosystems. *International Journal of Advanced Research in Computer Science & Technology*, 7(4), 10713-10718.
24. Poornima, G., & Anand, L. (2024, May). Novel AI Multimodal Approach for Combating Against Pulmonary Carcinoma. In 2024 5th International Conference for Emerging Technology (INCET) (pp. 1-6). IEEE.
25. Prabha, P. S., & Rengarajan, A. (2025). Adaptive Cloud Resource Allocation Using Attention-Driven Deep Reinforcement Learning. *Engineering, Technology & Applied Science Research*, 15(6), 29334-29340.
26. Jagadeesh, S., & Sugumar, R. (2017). A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.
27. Varma, K. K., & Anand, L. (2025, March). Deep Learning Driven Proactive Auto Scaler for High-Quality Cloud Services. In International Conference on Computing and Communication Systems for Industrial Applications (pp. 329-338). Singapore: Springer Nature Singapore.
28. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII TRANSACTIONS ON INTERNET AND INFORMATION SYSTEMS*, 19(11), 3841-3855.
29. Poornima, G., & Anand, L. (2025). Medical image fusion model using CT and MRI images based on dual scale weighted fusion based residual attention network with encoder-decoder architecture. *Biomedical Signal Processing and Control*, 108, 107932.
30. Archana, R., & Anand, L. (2025). Residual u-net with Self-Attention based deep convolutional adaptive capsule network for liver cancer segmentation and classification. *Biomedical Signal Processing and Control*, 105, 107665. Kumar, S. A., & Anand, L. (2025). A Novel EEG-Based Deep Learning Framework for Enhancing Communication in Locked-In Syndrome Using P300 Speller and Attention Mechanisms. *KSII Transactions on Internet and Information Systems*, 19(11), 3841-3855.
31. Rengarajan, A. (2025). Cloud-Based AI-Driven Threat Detection Framework for Smart Grid Cybersecurity. *International Journal of Future Innovative Science and Technology*, 8(6), 16065.
32. Murugeswari, B., Sudharson, K., Panimalar, S. P., Shanmugapriya, M., & Abinaya, M. (2020). SAFE-Secure Authentication in Federated Environment using CEG Key code.
33. Raj A. A., & Sugumar, R. (2023). Early Detection of COVID-19 with Impact on Cardiovascular Complications using CNN Utilising Pre-Processed Chest X-Ray Images. 2023 International Conference on Applied Intelligence and Sustainable Computing (ICAISC), IEEE.



34. Jagadeesh, S., & Sugumar, R. (2017). A Comparative study on Artificial Bee Colony with modified ABC algorithm. *European Journal of Applied Sciences*, 9(5), 243-248.
35. Selvi, G. V., Anbarasan, A. B., Murthy, B. A., & Prabavathy, S. (2023). An Application Oriented Integrated Unequal Clustering Algorithm for Wireless Sensor Network. In *Underwater Vehicle Control and Communication Systems Based on Machine Learning Techniques* (pp. 140-154). CRC Press.
36. Sruthi, R. S., Ananya, S., & Murugeswari, B. (2010). Web Based Virtual Control System Laboratory and On-Line Temperature Control of Electrophoresis Equipment using LabVIEW. *International Journal of Computer Applications*, 975, 8887.
37. Vimal Raja, G. (2021). Mining Customer Sentiments from Financial Feedback and Reviews using Data Mining Algorithms. *International Journal of Innovative Research in Computer and Communication Engineering*, 9(12), 14705-14710.
38. MATHEW, A. R. (2025). Neurosecurity and Brain-Computer Interfaces.
39. Soundappan, S. J. (2024). AI-Driven Customer Intelligence in Enterprise Lakehouse Systems Sentiment Mining Governance-Aware Analytics and Real-Time Data Synchronization. *International Journal of Advanced Engineering Science and Information Technology (IJAESIT)*, 7(5), 14905.
40. Mathew, A. (2025). Human-AI Collaboration in Security Operations: Measuring Alert Trust, Automation Bias, and Analyst Upskilling in AI-Augmented SOC Environments. *International Journal of Computer Technology and Electronics Communication*, 8(5), 11375-11380.
41. Soundappan, S. J. (2022). AI-Based Fault Detection and Isolation for Reliability in Modern Power Systems. *International Journal of Research Publications in Engineering, Technology and Management (IRPETM)*, 5(4), 7106-7110.
42. Poornima, G., & Anand, L. (2024, April). Effective Machine Learning Methods for the Detection of Pulmonary Carcinoma. In *2024 Ninth International Conference on Science Technology Engineering and Mathematics (ICONSTEM)* (pp. 1-7). IEEE.
- Garg, V. K., Soundappan, S. J., & Kaur, E. M. (2020). Enhancement in intrusion detection system for WLAN using genetic algorithms. *South Asian Research Journal of Engineering and Technology*, 2(6), 62-64.
43. Rengarajan, A., Jayakumar, C., & Sugumar, R. (2012). Optimization Of Recent Attacks Using Internet Protocol. *National Journal of System and Information Technology*, 5(1), 8.
44. Mathew, A. (2024). AI TRISM: Trust, Risk, and Security Management in Cybersecurity. *Cybersecurity*, 4(3), 84-90.
45. Mathew, A. (2025). Deep seek vs. ChatGPT: A deep dive into AI Language mastery. *Int J Multidisciplinary Res*, 7(1), 1-5.