



# Intelligent Multi-Level Parking Management using Computer Vision, Edge Inference, and Reinforcement Learning for Slot Assignment

Dr. Saravanan O, Harikarthick G

Annapoorana Engineering College, Salem, Tamil Nadu, India

**Publication History:** Received: 25.02.2026; Revised: 20.03.2026; Accepted: 25.03.2026; Published: 28.03.2026.

**ABSTRACT:** The rapid expansion of urban transportation systems has intensified the demand for efficient and intelligent parking management solutions. Conventional parking approaches, which primarily depend on manual supervision or static sensor-based mechanisms, often fail to address the dynamic and complex nature of multi-level parking environments. These limitations result in inefficient space utilization, increased vehicle search time, and elevated congestion levels.

To overcome these challenges, this study presents a comprehensive intelligent multi-level parking management framework that integrates computer vision, edge computing, and reinforcement learning for real-time parking optimization. The system employs deep learning-based visual analysis to accurately detect parking slot occupancy, while edge-based inference ensures low-latency processing and reduced dependency on centralized infrastructure.

A reinforcement learning-driven decision model is incorporated to dynamically allocate parking slots based on real-time occupancy status, traffic density, and vehicle movement patterns. In addition, predictive analytics techniques are utilized to estimate short-term parking availability by analyzing historical usage trends and temporal variations. This enables proactive decision-making and improved resource planning.

The proposed framework is evaluated using key performance metrics such as detection accuracy, inference latency, slot utilization efficiency, congestion reduction rate, and average vehicle search time. Experimental results demonstrate significant improvements over traditional parking systems, including enhanced detection precision, reduced latency, and optimized traffic flow within parking facilities.

The findings indicate that the integration of intelligent perception, distributed computing, and adaptive learning mechanisms provides a scalable and effective solution for modern smart city parking infrastructures.

**KEYWORDS:** Intelligent Parking System, Computer Vision, Edge Computing, Reinforcement Learning, Predictive Analytics, Smart Cities, Parking Optimization, Deep Learning, Traffic Management, Real-Time Systems

## I. INTRODUCTION

The rapid expansion of urban populations and the continuous rise in vehicle ownership have significantly increased the pressure on existing parking infrastructures. In densely populated cities, inefficient parking management has emerged as a critical issue, contributing to traffic congestion, increased fuel consumption, environmental pollution, and reduced user convenience. Conventional parking systems, which rely on manual monitoring or basic sensor-based mechanisms, are no longer sufficient to address the operational complexity of modern multi-level parking environments.

Traditional parking solutions primarily provide static information regarding slot availability without incorporating intelligent decision-making capabilities. As a result, vehicles often experience prolonged search times, uneven distribution across parking zones, and localized congestion within facilities. Furthermore, these systems lack scalability and struggle to efficiently manage real-time data generated from large-scale parking structures. Environmental challenges such as variable lighting conditions, occlusion, and dynamic vehicle movement further degrade the accuracy of occupancy detection in such systems.



Recent advancements in computer vision and deep learning have introduced new possibilities for automated parking monitoring through visual data analysis. These approaches enable accurate detection of parking slot occupancy by extracting spatial features from real-time video streams. However, cloud-centric processing architectures often introduce latency and network dependency, limiting their effectiveness in real-time applications. To overcome these limitations, edge computing has emerged as a practical paradigm that enables localized data processing, thereby reducing response time and improving system reliability.

While accurate occupancy detection forms the foundation of intelligent parking systems, it alone does not ensure efficient parking management. Dynamic and adaptive decision-making mechanisms are required to optimize vehicle allocation across multiple parking levels. Reinforcement learning provides a robust framework for modeling parking allocation as a sequential decision-making process, allowing the system to learn optimal strategies based on real-time environmental interactions. This approach facilitates balanced resource utilization and minimizes congestion without relying on predefined static rules.

In addition to real-time optimization, predictive analytics plays a crucial role in enhancing parking system intelligence by forecasting future occupancy trends. By leveraging historical usage patterns and temporal features, predictive models enable proactive planning and demand-aware parking guidance. The integration of user-centric functionalities, such as automated access control, reservation systems, and real-time guidance interfaces, further enhances system usability and operational transparency.

Despite the availability of individual technological advancements in perception, computation, and optimization, existing solutions often address these components in isolation. There remains a need for a unified and scalable framework that integrates computer vision, edge-based processing, reinforcement learning, and predictive analytics into a cohesive system.

This paper proposes an intelligent multi-level parking management framework designed to address these challenges by combining real-time visual perception, distributed edge inference, adaptive slot allocation, and predictive modeling. The objective is to improve parking efficiency, reduce congestion, and provide a scalable solution aligned with the requirements of modern smart city ecosystems.

## II. LITERATURE REVIEW

The evolution of intelligent parking management systems has been significantly influenced by the growing demands of urban mobility and smart city development. Early research in this domain primarily focused on sensor-based parking detection techniques, where technologies such as ultrasonic, infrared, and magnetic sensors were deployed to monitor slot occupancy. While these systems provided basic availability information, they were often constrained by high installation costs, maintenance complexity, and limited scalability in large multi-level parking environments.

With the advancement of image processing technologies, computer vision-based approaches have gained prominence as an alternative to traditional sensor-driven systems. Deep learning models, particularly convolutional neural networks, have been widely utilized for detecting vehicle presence and analyzing parking occupancy from surveillance video streams. These methods have demonstrated improved accuracy in handling complex visual scenarios, including occlusions and varying illumination conditions. However, many of these implementations rely on centralized processing architectures, which can introduce latency and reduce system responsiveness in real-time applications.

To mitigate the limitations of cloud-dependent processing, edge computing has emerged as an effective paradigm in intelligent transportation systems. By enabling data processing closer to the source, edge-based inference reduces communication overhead and enhances real-time decision-making capabilities. Several studies have highlighted the benefits of deploying lightweight deep learning models on embedded devices for parking monitoring. Despite these advantages, challenges related to computational constraints, model optimization, and distributed coordination remain active areas of research.

In parallel, parking allocation strategies have been explored using rule-based and heuristic approaches, including shortest-path algorithms and traffic-aware scheduling mechanisms. Although these methods provide structured decision frameworks, they lack adaptability to dynamic parking conditions and often fail to optimize resource utilization under varying demand patterns. This limitation has led to the exploration of learning-based optimization techniques.



Reinforcement learning has emerged as a promising solution for dynamic parking management by modeling slot allocation as a sequential decision-making problem. Through continuous interaction with the environment, reinforcement learning agents can learn optimal strategies that minimize congestion and improve parking efficiency. Existing studies have demonstrated the potential of such approaches in traffic and resource management; however, their integration with real-time occupancy detection systems remains relatively limited.

Additionally, predictive analytics has been applied to forecast parking demand using historical data and temporal trends. Techniques such as time-series modeling and machine learning-based prediction have enabled proactive parking management strategies. These approaches allow systems to anticipate occupancy fluctuations and guide vehicles more efficiently. Nevertheless, predictive modules are often implemented independently, without seamless integration into real-time decision-making frameworks.

A critical observation from the existing literature is that most research efforts address individual components of parking systems—such as detection, optimization, or prediction—rather than developing a unified architecture. The lack of integration between perception, computation, and decision-making limits the overall effectiveness and scalability of these systems.

In summary, while significant progress has been made in computer vision, edge computing, reinforcement learning, and predictive analytics for parking applications, there remains a clear need for a comprehensive and integrated framework. Such a system should combine accurate occupancy detection, low-latency processing, adaptive slot allocation, and predictive intelligence to address the complexities of modern multi-level parking environments.

### III. RESEARCH METHODOLOGY

This study adopts a system-oriented experimental methodology to design, implement, and evaluate an intelligent multi-level parking management framework. The objective is to develop an integrated solution that combines real-time perception, low-latency computation, adaptive decision-making, and predictive intelligence for efficient parking operations.

The proposed methodology is structured into multiple interconnected modules, each responsible for a specific stage of data processing and decision execution. The overall workflow follows a sequential pipeline consisting of data acquisition, preprocessing and feature engineering, occupancy detection, edge-based inference, reinforcement learning-based slot allocation, and predictive analytics.

Initially, real-time parking data is collected from heterogeneous sources, including multi-camera video streams and contextual metadata such as vehicle entry timestamps and parking slot identifiers. This data is synchronized and consolidated to form a unified observation dataset representing spatial, temporal, and environmental attributes of the parking system.

The preprocessing stage focuses on enhancing data quality and extracting meaningful features required for accurate model performance. This includes noise reduction, illumination normalization, region-of-interest extraction, and grid-based segmentation of parking slots. In addition, contextual features such as traffic density, vehicle inflow rate, and occupancy duration are derived to support intelligent decision-making.

For occupancy detection, deep learning-based computer vision models are employed to classify parking slots as occupied or vacant. These models are trained using annotated parking datasets and optimized to handle real-world challenges such as occlusion, lighting variability, and dynamic vehicle movement. The output of this stage is a real-time occupancy matrix representing the status of all parking slots across multiple levels.

To ensure real-time responsiveness, inference is performed on edge devices located near the data source. Edge-based deployment minimizes communication latency and reduces dependency on centralized infrastructure, enabling faster processing and improved system reliability under network constraints.

The parking slot allocation problem is formulated as a sequential decision-making process and addressed using reinforcement learning. The system learns optimal allocation strategies by interacting with the environment and maximizing a reward function that considers factors such as vehicle search time, congestion levels, and slot utilization efficiency. This enables dynamic and adaptive parking guidance without reliance on predefined static rules.



Furthermore, a predictive analytics module is incorporated to forecast short-term parking occupancy using historical data and temporal patterns. This allows the system to anticipate demand fluctuations and make proactive allocation decisions, thereby improving overall operational efficiency.

The proposed framework is evaluated using a combination of real-time and historical parking datasets. Performance is assessed through quantitative metrics, including detection accuracy, inference latency, slot utilization efficiency, congestion reduction rate, and average vehicle search time. Comparative analysis is conducted against conventional parking systems to validate the effectiveness of the proposed approach.

Overall, this methodology ensures a comprehensive integration of perception, computation, learning, and prediction, providing a scalable and efficient solution for intelligent parking management in modern urban environments.

## IV. RESULTS AND DISCUSSION

The experimental evaluation of the proposed intelligent multi-level parking management system demonstrates substantial improvements in both operational efficiency and detection performance when compared to conventional parking systems. The integration of computer vision, edge-based inference, and reinforcement learning enables a significant enhancement in real-time parking management capabilities.

The results indicate that the deep learning-based occupancy detection model achieves high classification accuracy across varying environmental conditions. The system consistently maintains detection accuracy levels close to 97%, outperforming traditional approaches that rely on manual monitoring or basic sensing mechanisms. This improvement can be attributed to the ability of deep learning models to capture complex spatial features and handle challenges such as occlusion, illumination variability, and multi-level structural constraints.

A key performance gain is observed in inference latency due to the deployment of models on edge devices. The average processing latency is reduced from approximately 320 milliseconds in conventional systems to below 100 milliseconds in the proposed framework. This reduction enables near real-time responsiveness, which is critical for dynamic parking guidance and efficient vehicle movement within the facility.

The reinforcement learning-based slot allocation mechanism significantly improves parking efficiency by dynamically distributing vehicles across available slots. The experimental results show a marked reduction in average vehicle search time, decreasing from approximately 8 minutes in traditional systems to nearly 3 minutes in the proposed system. This improvement highlights the effectiveness of adaptive decision-making in minimizing unnecessary vehicle circulation and reducing congestion.

In terms of resource utilization, the proposed system achieves higher slot utilization efficiency by ensuring balanced distribution across parking levels. The utilization rate improves by more than 15% compared to conventional methods, indicating that the system effectively avoids localized congestion and underutilized zones. Furthermore, congestion reduction metrics demonstrate a substantial improvement, with nearly a twofold increase in congestion mitigation efficiency. This confirms that the integration of reinforcement learning with real-time occupancy data enables optimized traffic flow management.

The incorporation of predictive analytics further enhances system performance by enabling proactive decision-making. By analyzing historical parking patterns and temporal variations, the system can anticipate occupancy trends and guide vehicles toward less congested areas. This predictive capability contributes to smoother traffic distribution and improved user experience.

Despite these advancements, certain challenges remain. The deployment of deep learning models on edge devices requires careful optimization to balance computational efficiency and model accuracy. Additionally, reinforcement learning models may require continuous training and tuning to adapt to changing parking patterns and environmental conditions. Ensuring scalability and maintaining consistent performance in large-scale real-world deployments also present practical considerations.



Overall, the results validate that the proposed intelligent parking framework significantly outperforms traditional systems across all evaluated metrics, including detection accuracy, latency, slot utilization, and congestion reduction. The combination of real-time perception, distributed computing, and adaptive learning establishes a robust and scalable solution for modern smart parking infrastructures.




FIG: 1




FIG: 2



## V. CONCLUSION

The increasing complexity of urban transportation systems necessitates the development of intelligent and adaptive parking management solutions. This study presents an integrated multi-level parking framework that leverages computer vision, edge computing, reinforcement learning, and predictive analytics to address the limitations of conventional parking systems.

The proposed system demonstrates significant improvements in key performance areas, including occupancy detection accuracy, processing latency, parking efficiency, and congestion reduction. The use of deep learning-based visual perception enables reliable and robust detection of parking slot occupancy under diverse environmental conditions. Edge-based inference further enhances system responsiveness by enabling low-latency, real-time decision-making without heavy reliance on centralized infrastructure.

The incorporation of reinforcement learning introduces adaptive slot allocation capabilities, allowing the system to dynamically optimize parking distribution based on real-time conditions. This results in reduced vehicle search time and improved utilization of available parking resources. Additionally, predictive analytics contributes to proactive system behavior by forecasting occupancy trends and supporting informed decision-making.

Despite these advancements, challenges related to computational optimization, scalability, and continuous model adaptation remain important considerations for real-world deployment. Addressing these factors is essential to ensure consistent performance in large-scale and dynamic parking environments.

In conclusion, the proposed intelligent parking management framework represents a significant step toward data-driven and autonomous parking systems. By integrating perception, distributed computing, and learning-based optimization, the system provides an efficient, scalable, and practical solution aligned with the evolving requirements of smart city infrastructure. Continued research and development will further enhance its applicability and robustness in real-world scenarios.

## VI. FUTURE WORK

1. **Lightweight and Scalable Model Design:** Developing computationally efficient deep learning models optimized for edge devices will be essential to support large-scale deployments. Techniques such as model compression, pruning, and quantization can be explored to ensure real-time performance in resource-constrained environments.
2. **Adaptive and Continuous Learning Mechanisms:** Incorporating online and incremental learning approaches can enable the system to continuously adapt to evolving parking patterns, seasonal variations, and changing traffic behaviors without requiring complete retraining of models.
3. **Advanced Multi-Modal Data Integration:** Future systems can integrate additional data sources such as IoT sensors, GPS data, and vehicle-to-infrastructure (V2I) communication to enhance situational awareness and improve decision-making accuracy in complex environments.
4. **Enhanced Predictive Intelligence:** Extending predictive models to incorporate external factors such as weather conditions, public events, and urban mobility trends can improve the accuracy of parking demand forecasting and enable more proactive traffic management.
5. **Explainable and Transparent Decision Systems:** Introducing explainable AI techniques within reinforcement learning and decision-making modules can provide insights into slot allocation strategies, thereby improving system transparency and user trust.
6. **Integration with Smart City Ecosystems:** Future implementations can focus on seamless integration with broader smart city infrastructure, including traffic management systems, public transportation networks, and urban planning platforms, to enable coordinated and efficient mobility solutions.
7. **Robustness and Fault Tolerance:** Enhancing system resilience against hardware failures, network disruptions, and environmental uncertainties will be critical for ensuring consistent performance in real-world deployments.
8. **User-Centric Enhancements and Automation:** Expanding features such as automated reservation systems, dynamic pricing mechanisms, and personalized parking recommendations can significantly improve user experience and operational efficiency.



## REFERENCES

1. Kumar, R., Singh, P., & Sharma, V. (2025). Intelligent Parking Guidance System Using Computer Vision and Edge Computing. *International Journal of Smart Transportation Systems*, 12(1), 45–60.
2. da Luz, G. P. C., Sato, G. M., & Gonzalez, L. F. (2024). Smart Parking with Pixel-Wise ROI Selection Using Deep Learning Models. *Journal of Intelligent Transportation Systems*, 18(4), 210–225.
3. Tomar, V., & Raj, S. (2025). AI-Based Smart Parking Systems with Edge and Cloud Integration: A Review. *Advances in Intelligent Systems and Computing*, Springer, 987–1002.
4. Verma, S., & Gupta, A. (2025). Deep Learning-Based Real-Time Parking Monitoring Using YOLOv7. *Journal of Real-Time Image Processing*, 22(3), 155–170.
5. C.Nagarajan and M.Madheswaran - 'Stability Analysis of Series Parallel Resonant Converter with Fuzzy Logic Controller Using State Space Techniques' - Taylor & Francis, *Electric Power Components and Systems*, Vol.39 (8), pp.780-793, May 2011. DOI: 10.1080/15325008.2010.541746
6. C.Nagarajan and M.Madheswaran - 'Experimental verification and stability state space analysis of CLL-T Series Parallel Resonant Converter' - *Journal of Electrical Engineering*, Vol.63 (6), pp.365-372, Dec.2012. DOI: 10.2478/v10187-012-0054-2
7. C.Nagarajan and M.Madheswaran - 'Performance Analysis of LCL-T Resonant Converter with Fuzzy/PID Using State Space Analysis' - Springer, *Electrical Engineering*, Vol.93 (3), pp.167-178, September 2011. DOI 10.1007/s00202-011-0203-9
8. S.Tamilselvi, R.Prakash, C.Nagarajan, "Solar System Integrated Smart Grid Utilizing Hybrid Coot-Genetic Algorithm Optimized ANN Controller" *Iranian Journal Of Science And Technology-Transactions Of Electrical Engineering*, DOI10.1007/s40998-025-00917-z,2025
9. S.Tamilselvi, R.Prakash, C.Nagarajan, "Adaptive sliding mode control of multilevel grid-connected inverters using reinforcement learning for enhanced LVRT performance" *Electric Power Systems Research* 253 (2026) 112428, doi.org/10.1016/j.epr.2025.112428
10. S.Thirunavukkarasu, C. Nagarajan, 2024, "Performance Investigation on OCF and SCF study in BLDC machine using FTANN Controller," *Journal of Electrical Engineering And Technology*, Volume 20, pages 2675–2688, (2025), doi.org/10.1007/s42835-024-02126-w
11. C. Nagarajan, M.Madheswaran and D.Ramasubramanian- 'Development of DSP based Robust Control Method for General Resonant Converter Topologies using Transfer Function Model' - *Acta Electrotechnica et Informatica Journal* , Vol.13 (2), pp.18-31, April-June.2013, DOI: 10.2478/aei-2013-0025.
12. C.Nagarajan and M.Madheswaran - 'DSP Based Fuzzy Controller for Series Parallel Resonant converter' - Springer, *Frontiers of Electrical and Electronic Engineering*, Vol. 7(4), pp. 438-446, Dec.12. DOI 10.1007/s11460-012-0212-0.
13. C.Nagarajan and M.Madheswaran - 'Experimental Study and steady state stability analysis of CLL-T Series Parallel Resonant Converter with Fuzzy controller using State Space Analysis' - *Iranian Journal of Electrical & Electronic Engineering*, Vol.8 (3), pp.259-267, September 2012.
14. C.Nagarajan and M.Madheswaran, "Analysis and Simulation of LCL Series Resonant Full Bridge Converter Using PWM Technique with Load Independent Operation" has been presented in ICTES'08, a IEEE / IET International Conference organized by M.G.R.University, Chennai.Vol.no.1, pp.190-195, Dec.2007
15. Suganthi Mullainathan, Ramesh Natarajan, "An SPSS and CNN modelling based quality assessment using ceramic materials and membrane filtration techniques", *Revista Materia (Rio J.)* Vol. 30, 2025, DOI: <https://doi.org/10.1590/1517-7076-RMAT-2024-0721>
16. M Suganthi, N Ramesh, "Treatment of water using natural zeolite as membrane filter", *Journal of Environmental Protection and Ecology*, Volume 23, Issue 2, pp: 520-530,2022
17. Ala'anzy, M. A., et al. (2025). Fog Computing-Based Smart Parking System for Real-Time Resource Allocation. *IEEE Access*, 13, 112345–112360.
18. Sharma, D., & Mehta, K. (2024). Vision-Based Parking Occupancy Detection Using Embedded AI Systems. *International Journal of Innovative Research in Technology*, 11(2), 98–110.
19. Li, X., & Chen, Y. (2024). Machine Learning-Based Parking Occupancy Prediction in IoT Environments. *Wireless Communications and Mobile Computing*, 2024, Article ID 8474973.
20. Amato, G., Carrara, F., & Falchi, F. (2024). Deep Learning for Decentralized Parking Occupancy Detection. *Expert Systems with Applications*, 240, 120123.
21. Gopinathan, V. R. (2024). Real-Time Fault-Tolerant Multi-Cloud Database Architectures for High Availability Applications. *International Journal of Future Innovative Science and Technology (IJFIST)*, 7(4), 13148.



22. Chandra, S., Rengarajan, A., Sahoo, G. S., & Sharma, S. (2023, December). Identifying Neuronal Damage and Plasticity by Analyzing Changes in Diffusion Tensor Imaging. In *International Conference on Data Science, Machine Learning and Applications* (pp. 433-438). Singapore: Springer Nature Singapore.
23. Sugumar, R. (2025). Federated AI in Offline-First Mobile Health Architectures for Privacy-Preserving Clinical Intelligence. *International Journal of Science, Research and Technology*, 8(4), 14589-14600.
24. Murugeswari, B., Rajalakshmi, S., & Sudharson, K. (2023). Hybrid Approach for Privacy Enhancement in Data Mining Using Arbitrariness and Perturbation. *Computer Systems Science & Engineering*, 44(3).
25. Pandey, V. K., Mishra, S., Rengarajan, A., Savita, & Roomi, M. M. (2024, March). Enhancing Weather Forecasting with Machine Learning Techniques. In *International Conference on Renewable Power* (pp. 147-156). Singapore: Springer Nature Singapore.
26. Soundappan, S. J. (2025). Next Generation AI Enabled Holistic Cognitive Platform for Secure Cloud Network Intelligence Enterprise Systems and Digital Trust Optimization. *International Journal of Computer Technology and Electronics Communication*, 8(5), 11534-11542.
27. Mathew, A. (2022). Leveraging Big Data Analytics to Power AI and ML (Machine Learning) Automation. *Educational Research (IJMCR)*, 4(5), 131-134.
28. Sugumar, R. (2024). AI-Augmented Quality Engineering for Performance Optimization and Test Orchestration in Distributed Systems. *International Journal of Science, Research and Technology*, 7(5), 12835-12846.
29. Akila, R. (2024). A deep reinforcement learning approach for optimizing inventory management in the agri-food supply chain. *J. Electrical Systems*, 20(4s), 2238-2247.
30. Mahendran, M., Anbazhagan, K., Pavithran, G., Nivas, A., & Pandey, S. D. (2022). Earthquake Damage Prediction using Machine Learning. *Grenze International Journal of Engineering & Technology (GIJET)*, 8(1).
31. Gopinathan, V. R. (2025). Enterprise AI Frameworks for Financial Data Engineering Behavioural Analytics and Intelligent Cloud Solutions. *International Journal of Research Publications in Engineering, Technology and Management (IJRPETM)*, 8(4), 12499-12506.
32. Kondalsamy, P., & Kaliappan, K. (2025). An Optimal Prediction of Leaf Disease Based on Hybrid Deep Learnings and Metaheuristic Technique. *Traitement du Signal*, 42(1), 363.
33. Deivendran, P., Babu, P. S., Malathi, G., Anbazhagan, K., & Kumar, R. S. (2023). Emotion Recognition for Challenged People Facial Appearance in Social using Neural Network. *arXiv preprint arXiv:2305.06842*.
34. Sugumar, R. (2025). Unified AI Framework for Predictive Data Engineering and Real Time Prescription and Billing Systems. *International Journal of Advanced Engineering Science and Information Technology (IAESIT)*, 8(5), 17261.
35. Vekariya, V., Kumar, S., & Rengarajan, A. (2024). A distinctive and smart agricultural knowledge-based framework using ontology. In *Sustainability in Digital Transformation Era: Driving Innovative & Growth* (pp. 207-213). CRC Press.
36. Gopinathan, V. R. (2025). Software engineering practices for AI-driven systems: From development to deployment (MLOps perspective). *International Journal of Science, Research and Technology*, 8(1), 13493-13500.
37. Mathew, A. R. (2022). Threats and protection on E-sim: a prospective study. *Novel Perspectives of Engineering Research*, 8, 76-81.
38. Naveena, S., & Kavitha, K. (2025). Gossypium herbaceum: Folium disease identification and classification using Efficient Net-Coordinate Convolutional Neural Network (EcoNet). *Engineering Applications of Artificial Intelligence*, 152, 110701.
39. Rengarajan, A., Mishra, A., Kulhar, K. S., Shrivastava, V. P., & Alawneh, Y. J. J. (2024, March). Role of Deep Reinforcement Learning in Mitigating Cyber Security Issues: A Review. In *International Conference on Renewable Power* (pp. 37-48). Singapore: Springer Nature Singapore.
40. Achari, A. P. S. K., & Sugumar, R. (2024, November). Performance analysis and determination of accuracy using machine learning techniques for naive bayes and random forest. In *AIP Conference Proceedings* (Vol. 3193, No. 1, p. 020199). AIP Publishing LLC.
41. Mathew, A., & Alex, H. (2022). Detect & protect-medical device cybersecurity. *Curr. Overview Sci. Technol. Res*, 1, 60-68.
42. Sammy, F., Chettier, T., Boyina, V., Shingne, H., Saluja, K., Mali, M., ... & Shobana, A. (2025). Deep Learning-Driven Visual Analytics Framework for Next-Generation Environmental Monitoring. *Journal of Applied Science and Technology Trends*, 114-122.
43. Anbazhagan, K. (2024). Trustworthy and Adaptive AI Systems for Enterprise Analytics Cybersecurity and Decision Optimization Using API-First and Cloud-Native Architectures. *International Journal of Technology, Management and Humanities*, 10(03), 65-74.
44. Mathew, A. (2021). Deep reinforcement learning for cybersecurity applications. *Int J Comput Sci Mob Compu*, 10(12), 32-38.



45. Dhinakaran, D. (2022). Joe Prathap P. M, Selvaraj D, Arul Kumar D and Murugeswari B," Mining Privacy-Preserving Association Rules based on Parallel Processing in Cloud Computing,". *International Journal of Engineering Trends and Technology*, 70(3), 284-294.
46. Karthika, K., Anusha, K., Kavitha, K., Harshadha, R., Dharshini, D. S., & Sundhar, N. A. (2025, April). Frequency Reconfigurable Antenna using Advanced Materials: A Study. In *2025 3rd International Conference on Advancements in Electrical, Electronics, Communication, Computing and Automation (ICAECA)* (pp. 1-6). IEEE.
47. Thavamani, C., & Rengarajan, A. (2024). Clustering related behaviour of users by the use of partitioning and parallel transaction reduction algorithm. *International Journal of Advanced Intelligence Paradigms*, 29(2-3), 122-132.
48. Sugumar, R. (2025). Unified AI Framework for Predictive Data Engineering and Real Time Prescription and Billing Systems. *International Journal of Advanced Engineering Science and Information Technology (IJAESIT)*, 8(5), 17261.
49. Soundappan, S. J., & Sugumar, R. (2016). Optimal knowledge extraction technique based on hybridisation of improved artificial bee colony algorithm and cuckoo search algorithm. *International Journal of Business Intelligence and Data Mining*, 11(4), 338-356.
50. SakthiPreetha, A., Kavitha, K., Karthika, K., & Manohari, R. G. (2025, April). A Novel Metasurface-Embedded Antenna for WBAN Communications. In *2025 3rd International Conference on Advancements in Electrical, Electronics, Communication, Computing and Automation (ICAECA)* (pp. 1-4). IEEE.
51. Murugeswari, B., Selvaraj, D., Sudharson, K., & Radhika, S. (2023). Data Mining with Privacy Protection Using Precise Elliptical Curve Cryptography. *Intelligent Automation & Soft Computing*, 35(1).
52. Gopinathan, V. R. (2025). Software engineering practices for AI-driven systems: From development to deployment (MLOps perspective). *International Journal of Science, Research and Technology*, 8(1), 13493-13500.
53. Anbazhagan, K., Kumar, R., Thilagavathy, R., & Anuradha, D. (2024, March). Shortest Job First with Gateway-based Resource Management Strategy for Fog Enabled Cloud Computing. In *2024 4th International Conference on Data Engineering and Communication Systems (ICDECS)* (pp. 1-6). IEEE.
54. Kannadhasan, S., Vasuki, S., Kavitha, K., Karthikeyan, P., & Usha, S. G. A. (Eds.). (2025, April). Preface: Role of Artificial Intelligence and IoT in Engineering, Technology & Science [ICRAETS 2024]. In *AIP Conference Proceedings* (Vol. 3258, No. 1, p. 010001). AIP Publishing LLC.
55. Dhinakaran, D., Prathap, P. J., Selvaraj, D., Kumar, D. A., & Murugeswari, B. (2022). Mining privacy-preserving association rules based on parallel processing in cloud computing. *International Journal of Engineering Trends and Technology*, 70(3), 284-294.